


Web Images Maps News Video Gmail more ▼



[Sign in](#)

browser application reading radio packet with identifiers and content identifier if

Search

[Advanced Search](#)

[Preferences](#)



Web Results 1 - 10 of about 2,660 for **browser application reading radio packet with identifiers and content identifier if read success**. (0.24 seconds)

1. RADIO FREQUENCY IDENTIFIERS FOR USE IN BIOLOGICAL SCIENCE - Patent

A biological research product comprising a **radio** frequency **identifier** ... A method for performing electrophoresis, comprising: **reading** information from an to improve the efficiency, accurate, and **success** of biological research. 96 from a foil **packet**, uses an RFID writer to enter **identifier** information on ...

www.faqs.org/patents/app/20090071829 - 175k - [Cached](#) - [Similar pages](#)

2. Error Correction Apparatus and Method - Patent - system method and ...

Classification tree **browser** Each transport **packet** header includes a **packet identifier** (PID) to identify the the **success** of downloading of the broadcast **content** data files. **If** the error correction **packet** has been retransmitted less the members will be known upon **reading** by a member **ID** number. ...

www.faqs.org/patents/app/20080228787 - 85k - [Cached](#) - [Similar pages](#)

[More results from www.faqs.org »](#)

3. System and method for converting information on paper forms to ...

The method of claim 1, wherein step (b) of **reading** comprises image capture. ... processing forms as parsed snippets when the form code **identifier** can be determined, **Application** Protocol link, a GPRS (General **Packet Radio** Service) link, ... **If** data repair 406 was a **success**, for example where the form code was ...

www.freepatentsonline.com/7203663.html - [Similar pages](#)

by WJ Buisman - 2007 - [All 5 versions](#)

4. Post Graduate Blues

2.5G was the result of GSM + GPRS (General **Packet Radio** Service). ... I am **reading** up on the Human Interface Guidelines for this device. While there cannot be one

formula to guarantee **success** of a mobile site, following the code top level domain **identifier** (ccTLD) as the third level domain **identifier**. ...

[postgraduateblues.wordpress.com/ - 55k - Cached - Similar pages](#)

5. System, apparatus, and method for providing generic internet ...

Application Programming Interface (API) (310) detects the protocol type of. ... where Serving General **Packet Radio** Service (GPRS) Support Node (SGSN)130 and

The Call-ID header contains a unique **identifier** for the current call. other hardware capable of **reading** and/or storing information such as DVD, etc. ...

[www.patents.com/System-apparatus-providing-generic-internet-protocol-authentication/US7421732/en-US/ - 103k - Cached - Similar pages](#)

6. Journal of Network and Computer **Applications** : J2ME application ...

Although **browser**-based **applications** have shown a great **success** in the wired

4) and upon sending the corresponding request, the option's **identifier** is ... We used a General **Packet Radio** Service (GPRS) connection to perform the HTTP ... when opening an HTTP connection, or when **reading** or writing network data. ...

[linkinghub.elsevier.com/retrieve/pii/S1084804503000304 - Similar pages](#)

by W Iiani - 2004 - [Cited by 20](#) - [Related articles](#) - [All 4 versions](#)

7. [PDF] &

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Packet Radio Service), a UMTS (Universal Mobile Tele- the HTTP 302 return code), **application** redirection like ... TCP connection **identifier** as well as a rank of the HTTP size of decompressed download **content** as provided to the Web **browser** by the ... than a "**reading** threshold". If the time elapsed between ...

<https://publications.european-patent-office.org/PublicationServer/getpdf.jsp?cc=EP&pn=1739557&ki=A1> - [Similar pages](#)

8. (WO/2003/098888) METHOD AND APPARATUS FOR TRANSMISSION OF ...

A result of transferring the MT SM (i. e. , **success** or failure) to the ... One such **packet**-based wireless service is a General **Packet Radio** Service (GPRS) ... device to a wireless **application** gateway using an **identifier** of the wireless device, after **reading**, may wish to download and browse, using a web **browser** ...

[www.wipo.int/pctdb/en/wo.jsp?wo=2003098888&IA=US2003015463&DISPLAY=DESC](#)
- [Similar pages](#)

9. Survey on information appliances - Computer Graphics and ...

graphics and images, the PC is still not the **reading** medi- **success** stories of task-specific devices. They're ideally suited in terms of their form factor and **application** soft- ... cellular digital **packet** data (CDPD) modems, wireless translate the modulated signal into an **identifier** associ- ...


ieeexplore.ieee.org/iel5/38/18308/00844369.pdf?arnumber=844369 - [Similar pages](#)
by R Want - 2000 - [Cited by 25](#) - [Related articles](#) - [All 8 versions](#)

10. [PDF] Identifier/Locator Split and DHTs

File Format: PDF/Adobe Acrobat

packet based general **packet radio** system (GPRS) etc. ... either directly **if** it knows the **identifier** of either a peer- to-peer **applications**: • Cooperative Mirroring for **content** publishers. tial, it can't be considered a commercial **success** due to herself while **reading** the rest of the paper. ...

www.tml.tkk.fi/Publications/C/17/110557_proceedings_fall2004.pdf - [Similar pages](#)



browser application reading radio packet with identifiers and content identifier if

[Search within results](#) - [Language Tools](#) - [Search Tips](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)